



Technical Specifications

STAGE :

21' wide, 12' deep; 29.5" high. 3 step staircase upstage left takes up 4' x 5' of the stage space.

Note: Downstage SR & SL 3'x3' corners are directly under flown Mains & have 4' height clearance. Otherwise, vertical clearance is 16'.

Deck: 3.5" thick incl 1" gypsum & 1" LD soundboard.

POWER :

(3) 20 amp circuit on stage (independent from discrete circs for mains/mons/subs/FOH/Lights). Add'l 100 amp camlock 4-wire single phase syst w/ Neutral/Ground rev'd (turnarounds on site for these) for touring lights or 220 Euro.

FOH/Monitors :

Midas Verona V400 40 ch console
40ch Split snake w/ (4) 12ch sub snakes
4 monitor sends / 3 effects sends / 1 subwoofer send

Mains :

4 Meyer Sound CQ2 Mains (plus 2 balcony fills)
1 Fulcrum TS221 dual 21' Sub powered by Lab Gruppen PLM 14000
1 Meyer 700p Active Subwoofer (backup)

Monitors :

(4) Fulcrum F12 Passive powered by Ashly NXP4004 Power Amp
(1) Fulcrum FW15 Passive powered by Powersoft T302

Processing :

Ashly Protea 3.6 Speaker Processor
Main + Monitors EQ Ashly GQX3102 + additional Monitor EQ - Ashly MQX2310

Compressors :

Universal Audio LA3A (2) - single channel

BSS DPR404 - 4 channels

BSS DPR 402 (2) - 2 channel

Drawmer DL24 - 2 channels

DBX 160X (2) - single channel

DBX 1066 XL (3) - 2 channels

DBX 1074 (2) - 4 channels gate

FX UNITS :

TC Electronics M One Multi Effects Unit

TC Electronics M2000 Multi Effects Delay Unit

TC Electronics D Two Delay Unit

Additional Speakers:

(1) Mackie SRS1500 Active 15 inch Subwoofer

(2) Wharfdale EVP-X15M - and (1) Wharfdale EVP-X12M Active two way speaker - monitor

MICROPHONES :

(7) Shure SM58 Handheld Dynamic Vocal

(1) Shure Beta 58 Handheld Dynamic Vocal

(4) Shure SM57

(1) Shure Beta 52

(1) Shure 518SA

(1) Shure Beta 91

(2) Audix OM2 Handheld Dynamic Vocal

(1) Audix OM3 Handheld Dynamic Vocal

(1) Audix OM3XB Handheld Dynamic Vocal

(4) Audix OM5 Handheld Dynamic Vocal

(3) Audix OM6 Handheld Dynamic Vocal

(2) Audix VX5 Handheld Condenser Mic

(6) Audix D2 Dynamic Mic (Black Top)

(3) Audix D3 Dynamic Mic (Gold Top)

(1) Audix D4 Dynamic Mic (Red Top)

(2) Audix D6 Dynamic Mic (Low Freq)

(4) Audix I5 Dynamic Mic

(3) Audix ADX51 Small Diaphragm Condenser

(1) AKG D112

(2) Sennheiser MD421 Dynamic

(2) Sennheiser E609 Dynamic

(2) Sennheiser 904 Dynamic Clip on Mic

(2) Neumann KMS105 Handheld Condenser

D.I. BOXES :

- (6) Radial JDI - Passive Direct Box
- (1) Radial Duplex Stereo Direct Box
- (1) Radial J48 - Active Direct Box
- (1) Radial Pro D1
- (2) LR Baggs - Active Direct Box
- (1) Horizon Straightline - Passive Direct

Lighting / AV :

FOH:

ChamSys QuickQ 20 Light Board

Downstage:

- (2) 4 Channel Dimmer Pack - Leviton D4DMX-MD3
- (4) PR Lighting XLED 3007 - 7Wx20 RGBW Moving Head Wash
- (6) Ellipsoidal - 750W
- (1) 20" Mirror Ball with (2) Pinspots
- (1) ADJ-M2020 - Variable Speed and Rotation Mirror Ball Motor

Upstage:

- (6) Elation Opti QA Par - 18Wx5 RGBA Wash
- (2) Par 56
- (1) 4 Channel Dimmer Pack - Elation DP-415

Video:

- (1) Panasonic DLP PT-RZ570B - with HDMI, VGA and composite inputs.
- (1) 9' H X 12' W Projector Screen

DJ Equipment

- 1x Technics SL-1200MK2
- 1x Technics SL-1200MD3
- 1x Numark M3 2-Channel DJ Mixer
- 1x 48x20" DJ Table